

```

<?xml version="1.0" encoding="ISO-8859-2"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" elementFormDefault="qualified"
attributeFormDefault="unqualified">
  <xs:element name="NOVT" type="sveType">
    <xs:annotation>
      <xs:documentation>NOVT redovne datoteke</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:complexType name="sveType">
    <xs:sequence>
      <xs:element name="Zaglavlje" type="ZaglavljeType"/>
      <xs:element name="StavkePrometa" type="StavkePrometaType"
minOccurs="0"/>
      <xs:element name="StavkeStanja" type="StavkeStanjaType"
minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="ZaglavljeType">
    <xs:sequence>
      <xs:element name="OIB">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:length value="11"/>
            <xs:pattern value="([0-9]{11})"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="IzvestajniDatum">
        <xs:simpleType>

```

```

          <xs:restriction base="xs:string">
            <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|[12][0-9]|3[01])"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="UkupnoBrSlogova" type="xs:integer"/>
      <xs:element name="OznakaDatoteke">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:pattern value="(R|I[0-9]{2})"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="Osobe" type="OsobeType" minOccurs="0"/>
      <xs:element name="Napomena" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="2000"/>
            <xs:minLength value="0"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="StavkePrometaType">
    <xs:sequence maxOccurs="unbounded">
      <xs:element name="StavkaPrometa" type="StavkaPrometaType"/>
    </xs:sequence>
  </xs:complexType>
  <xs:complexType name="StavkaPrometaType">
    <xs:sequence maxOccurs="1">
      <xs:element name="OznakaSloga">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:length value="2"/>
            <xs:pattern value="(PR)"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="RedniBrojSloga" type="xs:integer"/>
      <xs:element name="Redovno-Ispravak">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:minLength value="1"/>
            <xs:maxLength value="3"/>
            <xs:pattern value="(R|I[0-9]{2}|S[0-9]{2})"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="IzvjestajniDatum">

```

```

        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|12)[0-9]|3[01])"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="MBrProtustranke" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:minLength value="2"/>
                <xs:maxLength value="25"/>
                <xs:pattern value="(MB[0-9]{8}|MF[0-9A-
Z]{3,23}|ND)"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="OIBProtustranke" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="11"/>
                <xs:pattern value="([0-9]{11})"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="DrzavaSjedistaInstitucija" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="2"/>
                <xs:pattern value="([A-Z]{2})"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="SektorNerezidenta" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:integer">
                <xs:totalDigits value="4"/>
                <xs:pattern
value="((12)(21|22|30|40|51|52)|1100)"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="VezaInstitucijeIProtustranke" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:minLength value="1"/>
                <xs:maxLength value="21"/>
                <xs:pattern value="(N|P[0|1]{1}|0-
9){4}[0|1]{1}[0-9]{4}[0|1]{1}[0-9]{4}[0|1]{1}[0-9]{4}|S)"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Instrument">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="2"/>
          <xs:pattern value="(A1|B1|B2|C1)"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Posredovanje">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="4"/>
          <xs:pattern
value="(N000|DTNZ|DZSE|DOST)"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="OsiguranjeTransakcija" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="3"/>
          <xs:pattern value="(N00|D0[1-6])"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="ISIN" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="12"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="Trziste" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="3"/>
          <xs:pattern value="(PRT|SKT)"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="UgovornaValuta">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="3"/>
          <xs:pattern value="([A-Z]{3})"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>

```

```

<xs:element name="ValutaNamire">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="3"/>
      <xs:pattern value="([A-Z]{3})"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="DatumNamire">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|[12][0-9]|3[01])"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="DatumPovrata" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|[12][0-9]|3[01])"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="DatumDospijecaVrijednosnihPapira" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|[12][0-9]|3[01])"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Rok" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="2"/>
      <xs:pattern value="(ON|OP)"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Smjer">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="1"/>
      <xs:pattern value="(P|D)"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Vrstalnosa">
  <xs:simpleType>
    <xs:restriction base="xs:string">

```

```

        <xs:length value="3"/>
        <xs:pattern value="(I01 | I02)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Iznos">
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:totalDigits value="19"/>
        <xs:fractionDigits value="2"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="VrstaCijene">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="3"/>
        <xs:pattern value="(C01 | C02)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Cijena">
    <xs:simpleType>
      <xs:restriction base="xs:decimal">
        <xs:totalDigits value="8"/>
        <xs:fractionDigits value="5"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="StavkeStanjaType">
  <xs:sequence maxOccurs="unbounded">
    <xs:element name="StavkaStanja" type="StavkaStanjaType"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="StavkaStanjaType">
  <xs:sequence maxOccurs="1">
    <xs:element name="OznakaSloga">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:length value="2"/>
          <xs:pattern value="(ST)"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="RedniBrojSloga" type="xs:integer"/>
    <xs:element name="Redovno-Ispravak">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:minLength value="1"/>

```

```

        <xs:maxLength value="3"/>
        <xs:pattern value="(R|I[0-9]{2}|S[0-9]{2})"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="IzvestajniDatum">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:pattern value="((19|20)[0-9]{2})(0[1-
9]|1[012])(0[1-9]|1[2][0-9]|3[01])"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="MBrProtustranke" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="2"/>
            <xs:maxLength value="25"/>
            <xs:pattern value="(MB[0-9]{8}|MF[0-9A-
Z]{3,23}|ND)"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="OIBProtustranke" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="11"/>
            <xs:pattern value="([0-9]{11})"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="DrzavaSjedistaInstitucija" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="2"/>
            <xs:pattern value="([A-Z]{2})"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="SektorNerezidenta" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:integer">
            <xs:totalDigits value="4"/>
            <xs:pattern
value="((12)(21|22|30|40|51|52)|1100)"/>
            </xs:restriction>
        </xs:simpleType>
</xs:element>
<xs:element name="VezaInstitucijeIProtustranke">
    <xs:simpleType>
        <xs:restriction base="xs:integer">
            <xs:totalDigits value="4"/>
            <xs:pattern
value="((12)(20|30|40|50|60|70|80|90)|1100)"/>
            </xs:restriction>
        </xs:simpleType>
</xs:element>

```

```

    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:minLength value="1"/>
        <xs:maxLength value="21"/>
        <xs:pattern value="(N|B|P[0|1]{1}[0-9]{4}[0|1]{1}[0-9]{4}[0|1]{1}[0-9]{4}[0|1]{1}[0-9]{4}|S)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Instrument">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="2"/>
        <xs:pattern value="(A1|B1|B2|D1|D2)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="UgovornaValuta">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="3"/>
        <xs:pattern value="([A-Z]{3})"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="ValutaNamire" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="3"/>
        <xs:pattern value="([A-Z]{3})"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="VrstaStanjaTZ" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="1"/>
        <xs:pattern value="(B|S)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Rok" minOccurs="0">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:length value="2"/>
        <xs:pattern value="(OP|D7)"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
  <xs:element name="Smjer" minOccurs="0">
    <xs:simpleType>

```



```

        <xs:restriction base="xs:string">
            <xs:length value="1"/>
            <xs:pattern value="(P|D)"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="VrstaIznosa">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:length value="3"/>
            <xs:pattern value="(I02|I03)"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="Iznos">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="19"/>
            <xs:fractionDigits value="2"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="OsobeType">
    <xs:sequence maxOccurs="unbounded">
        <xs:element name="Osoba" type="OsobaType"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="OsobaType">
    <xs:sequence maxOccurs="1">
        <xs:element name="Ime" type="xs:string"/>
        <xs:element name="Prezime" type="xs:string"/>
        <xs:element name="E-mail" type="xs:string"/>
        <xs:element name="Telefon" type="xs:string"/>
        <xs:element name="DatumOd" minOccurs="0">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:pattern value="((19|20)[0-9]{2})(0[1-9]|1[012])(0[1-9]|12)[0-9]|3[01])"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="DatumDo" minOccurs="0">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:pattern value="((19|20)[0-9]{2})(0[1-9]|1[012])(0[1-9]|12)[0-9]|3[01])"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:schema>

```